FRAME DESCRIPTION:

NOUSE: chromium molybdenum tube Ø28m

SIDE: chromium molybdenum tube Ø28mm

CENTRAL CROSS PIECES: chromium molyl
Ø28mm

REAR CROSS PIECES: chromium molybden
Ø28mm

WHEELBASE: 950mm.

STANDARD CONFIGURATION:

- BODYWORKS mod.MK20 col.BLACK with F
- INTREPID STICKERS KIT for BODYWORKS
- REAR BRAKE SYSTEM mod.R3 20 CIK/FIA
- HOLED AXLE Ø30x5x960mm - CH.6mm - m
  MEDIUM
- REAR HUB Ø30x35mm - CH.6mm - ALUMI
- ALUMINIUM RIMS H.115/140 - with BEAR
- FLOOR PLATE mod.MINI KART with STICK
- SEAT RACING SILVER (MINI 2 27cm.)
- STEERING WHEEL in ALCANTARA - 4 SP
- STEERING COLUMN - 420x28mm
- SPEENDLES Ø17mm 10,5° mod.H1/17 witl
  Ø10mm
- ADJUSTABLE FOOTREST SYSTEM - ALUM
- PEDAL CHROME PLATED STEEL
- HIGH QUALITY ALUMINUM COMPONENTS

MINI SPEEDY 02