STANDARD CONFIGURATION:

- BODYWORKS mod.509 col. BLACK with R
- STICKERS KIT for BODYWORKS mod.509
- REAR BRAKE SYSTEM OK mod.R8K CIK/F
- AXLE Ø50x1030mm - mod.T2 - MEDIUM
- REAR HUB Ø50x90mm - CH.6mm - ALUMI
- FRONT HUB mod.OK Ø42X80mm - ALUMI
- MAGNESIUM WHEEL RIMS L. 132/212 wit BLACK
- FLOOR PLATE mod.OK with STICKERS IN MOD.2026
- SEAT RACING SILVER (size 2 30,5cm.)
- STEERING WHEEL in ALCANTARA - 4 SP
- ADJUSTABLE FOOTREST SYSTEM - ALUM
- ALUMINIUM PEDALS - 2026 DESIGN

ESCAPE OK



FRAME DESCRIPTION:

NOUSE: chromium tube Ø32mm

SIDE: chromium tube Ø30mm

CENTRAL CROSS PIECES: chromium tube

REAR CROSS PIECES: chromium tube Ø32

WHEELBASE: 1045mm


INTREPID
Radial Pump 19
INTREPID
015-BrKR-12

Intrepid

INTREPID

INTREPID ACCADEMY

SKM

INTREPID Italian Concept

intrepid-kart.com

Intrepid Driver Program

intrepid_kart